TIME AND FREQUENCY ACTIVITIES AT THE JHU APPLIED PHYSICS LABORATORY

Mihran Miranian, Gregory L. Weaver, Matthew J. Reinhart, and Richard A. Dragonette Johns Hopkins University/Applied Physics Laboratory Laurel, Maryland, USA

E-mail: mihran.miranian@huapl.edu

Abstract

The Time and Frequency Laboratory at the Johns Hopkins University Applied Physics Laboratory (JHL/APL) provides support to multiple current and upcoming NASA/APL missions that span our solar system from the study of the Sun's coronal mass ejections to the examination of the outer planets and the Kuiper Belt objects. This support includes providing precise time and frequency to the integration and testing of new hardware, frequency reference for spacecraft ranging and communications via the APL satellite communications facility, and the time-stamping of ground-receipt telemetry packets from various spacecraft. The Lab's ensemble of three high-performance cesium standards and three hydrogen masers are integrated to form the APL timescale, which is the basis for estimating UTC – UTC (APL) and for evaluating the performance of our clocks. Traceability to USNO, NIST, and UTC is maintained via GPS common-view and all-in-view time transfer. The Lab's clocks are also incorporated into the computation of International Atomic Time (TAI).

Mission

Provide precise time and frequency in support of critical APL projects and maintain traceability to U.S. and international timing laboratories.


maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Information	regarding this burden estimate mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE NOV 2009 2.1		2. REPORT TYPE		3. DATES COVERED 00-00-2009 to 00-00-2009		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Time and Frequency Activities at the JHU Applied Physics Laboratory				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Johns Hopkins University, Applied Physics Laboratory, 11100 Johns Hopkins Road, Laurel, MD, 20723				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO 41st Annual Precis Santa Ana Pueblo,	e Time and Time In	terval (PTTI) Syste	ms and Applicati	ons Meeting,	16-19 Nov 2009,	
14. ABSTRACT see report						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	8	RESPONSIBLE PERSON	

Report Documentation Page


Form Approved OMB No. 0704-0188

APL Time and Frequency Lab









◆ STEREO - SolarTErrestrial RElationsObservatory



New Horizons

Lab Facilities

- Located in standard laboratory room.
- Temperature maintained at 68 degrees
 +/-3 degrees Fahrenheit
- Humidity maintained at 60% maximum
- AC power is on building UPS plus local UPS for critical systems

Time and Frequency Lab Hardware


- 4 Hydrogen Masers
- 3 High Performance CesiumStandards
- 5 MHz measurement system
- 1 PPS clock monitor system
- ◆ 2 Microphase-steppers
- ◆ 1 High Resolution Offset Generator
- ◆ 2 GPS Time Transfer Receivers

Time and Frequency Dissemination

- → 1 MHz, 5 MHz, 10 MHz, 100 MHz
- ◆ 1 PPS
- ◆ IRIG-B APL Local Time
- ◆ IRIG-B UTC
- Common View GPS Time Transfer
 - NIST, USNO, BIPM


UTC(APL)

- Output of a Microphase-stepper
- Microphase-stepper driven by a High Performance Cesium
- Microphase-stepper adjustments are based on estimate of UTC-UTC(APL)
- Adjustments are made as needed



APL Timescale


- 3 Hydrogen Masers
- 3 High Performance Cesiums
- Clocks are equally weighted
- ◆ Referenced to UTC(APL)



Note: In above slide, "NH MASER" should be "NR MASER"

Future Improvements

- UTC(APL) will be the output of the Offset Generator (Dec. 2009)
- Offset Generator will be driven by a hydrogen maser (Dec. 2009)
- Offset Generator adjustments will be automated and made daily based on estimation of UTC-UTC(APL) (Dec. 2009)
- → T&F Lab move to New Space Department building (2011)



41st Annual Precise Time and Time Interval (PTTI) Meeting